

## Preparation

Do not dilute or solubilize the products in a small bucket in high concentrations, but pour them directly into the spray tank. The tank has to be filled up to 2/3 of its capacity and the stirring system has to work.



## Making of the mixture

1. Start with our BMS-MN products
2. Verify the pH of the solution after the BMS -MN products have been added, and Adjust if necessary, according to what is recommended for the pesticides that will be added.
3. Always add the powders slowly and gradually
4. Then add the dry formulations: WP Powders, Dispersible granulates WG.
5. Finish by adding the liquids in the following order: the SI and SC formulations, then the EW formulation and finally the EC formulations
6. Add water until you reach the desired amount.



## The solution

Maintain a strong agitation in the tank from the moment of the preparation of the solution up to finishing the application.



## To finish

Wash you material immediately after the last pulverisation and do not allow the deposits to dry out in the tank, which will then be difficult to remove.

A complete file with indications on the mixability of our products with most pesticides can be found on our website [www.chelal.com](http://www.chelal.com): please consult before making mixtures.