

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Product name	: Chelal Kubig
UFI	: FFGG-A415-2D06-USD2
Product group	: Trade product
Other means of identification	: solution of copper (II) polyamine chelates in accordance with the French requirement NF U 42-003-2 concerning fertilizers

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Fertilisers

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

BMS Micro-Nutrients NV
Rijksweg 32
be- 2880 Bornem
Belgium
T +32/3 899 10 10 - F +32/3 899 40 44
info@chelal.com - www.chelal.com

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4	H302
Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 1	H318
Skin sensitisation, Category 1	H317
Hazardous to the aquatic environment – Chronic Hazard, Category 2	H411

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Harmful if swallowed. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP)

: Danger

Chelal Kubig

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Contains	: Reaction products of 2,2'-iminodi(ethylamine) and copper sulphate (1:1).; Reaction products of amines, polyethylenepoly-, tetraethylenepentamine fraction and copper sulphate (1:1) ; Reaction products of amines, polyethylenepoly-, triethylenetetramine fraction and copper sulphate (1:1)
Hazard statements (CLP)	: H302 - Harmful if swallowed. H315 - Causes skin irritation. H317 - May cause an allergic skin reaction. H318 - Causes serious eye damage. H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P280 - Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse. P391 - Collect spillage.

Nordic countries regulation

Denmark

MAL code : 00-1 (Executive Order No. 301 (1993))

2.3. Other hazards

Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Reaction products of amines, polyethylenepoly-, tetraethylenepentamine fraction and copper sulphate (1:1)	EC Index-No.: 701-400-4 REACH-no: 01-2120773696-37	15 – 20	Acute Tox. 3 (Oral), H301 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Reaction products of 2,2'-iminodi(ethylamine) and copper sulphate (1:1).	EC Index-No.: 701-411-4 REACH-no: 01-2120773695-39	10 – 15	Acute Tox. 3 (Oral), H301 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Reaction products of amines, polyethylenepoly-, triethylenetetramine fraction and copper sulphate (1:1)	EC Index-No.: 701-399-0 REACH-no: 01-2120773697-35	10 – 15	Acute Tox. 3 (Oral), H301 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Chronic 2, H411

Full text of H- and EUH-statements: see section 16

Chelal Kubig

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Call a poison center or a doctor if you feel unwell. Seek medical attention immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Rinse mouth. Call a poison center or a doctor if you feel unwell. If swallowed, seek medical advice immediately and show this container or label.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Swallowing a small quantity of this material presents some health hazard.
Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: Harmful if swallowed. Ingestion may cause nausea and vomiting.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: No fire hazard.
Explosion hazard	: No direct explosion hazard.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions	: Fight fire with normal precautions from a reasonable distance. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: May be harmful to aquatic organisms, to flora, to soil organisms. Clean up any spills as soon as possible, using an absorbent material to collect it. Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.
------------------	---

6.1.1. For non-emergency personnel

Protective equipment	: Wear recommended personal protective equipment.
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Evacuate area. Only qualified personnel equipped with suitable protective equipment may intervene. Notify fire brigade and environmental authorities.

Chelal Kubig

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Equip cleanup crew with proper protection.
- Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment. Do not allow to enter drains or water courses. Toxic to aquatic life with long lasting effects. Do not allow product to spread into the environment. Toxic to aquatic life. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

- For containment : Collect spillage. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.
- Methods for cleaning up : Absorb spillage to prevent material damage. Take up liquid spill into absorbent material.
- Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.
- Precautions for safe handling : Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not eat, drink or smoke when using this product. Ensure good ventilation of the work station. Wear personal protective equipment. Keep only in original container. Do not handle until all safety precautions have been read and understood.
- Handling temperature : 5 – 30 °C
- Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Always wash hands after handling the product. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Store locked up. Store in tightly closed, leak-proof containers.
- Storage conditions : Keep cool. Protect from sunlight. Store in a well-ventilated place. Keep cool.
- Storage temperature : 5 – 30 °C
- Packaging materials : Store always product in container of same material as original container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Chelal Kubig	
Germany - Occupational Exposure Limits (Generic OEL data)	
Copper, inorganic compounds (long term respirable fraction; short term respirable fraction)	0,01; 0,02 mg/m ³
Latvia - Occupational Exposure Limits	
Copper, inorganic compounds (long term; short term)	0,5; 1 mg/m ³

Chelal Kubig

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Chelal Kubig	
Netherlands - Occupational Exposure Limits	
Copper, inorganic compounds (long term)	0,1 mg/m ³
Poland - Occupational Exposure Limits	
Copper, inorganic compounds (long term)	0,2 mg/m ³
Reaction products of 2,2'-iminodi(ethylamine) and copper sulphate (1:1).	
Germany - Occupational Exposure Limits (Generic OEL data)	
Copper, inorganic compounds (long term respirable fraction; short term respirable fraction)	0,01; 0,02 mg/m ³
Latvia - Occupational Exposure Limits	
Copper, inorganic compounds (long term; short term)	0,5; 1 mg/m ³
Netherlands - Occupational Exposure Limits	
Copper, inorganic compounds (long term)	0,1 mg/m ³
Poland - Occupational Exposure Limits	
Copper, inorganic compounds (long term)	0,2 mg/m ³
Reaction products of amines, polyethylenepoly-, tetraethylenepentamine fraction and copper sulphate (1:1)	
Germany - Occupational Exposure Limits (Generic OEL data)	
Copper, inorganic compounds (long term respirable fraction; short term respirable fraction)	0,01; 0,02 mg/m ³
Latvia - Occupational Exposure Limits	
Copper, inorganic compounds (long term; short term)	0,5; 1 mg/m ³
Netherlands - Occupational Exposure Limits	
Copper, inorganic compounds (long term)	0,1 mg/m ³
Poland - Occupational Exposure Limits	
Copper, inorganic compounds (long term)	0,2 mg/m ³
Reaction products of amines, polyethylenepoly-, triethylenetetramine fraction and copper sulphate (1:1)	
Germany - Occupational Exposure Limits (Generic OEL data)	
Copper, inorganic compounds (long term respirable fraction; short term respirable fraction)	0,01; 0,02 mg/m ³
Latvia - Occupational Exposure Limits	
Copper, inorganic compounds (long term; short term)	0,5; 1 mg/m ³
Netherlands - Occupational Exposure Limits	
Copper, inorganic compounds (long term)	0,1 mg/m ³
Poland - Occupational Exposure Limits	
Copper, inorganic compounds (long term)	0,2 mg/m ³

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

Chelal Kubig

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: dark blue.
Odour	: odourless.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not applicable
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: 9 – 9,5 (1% solution)

Chelal Kubig

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Viscosity, kinematic	: Not available
Solubility	: Water: complete
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: as for water
Vapour pressure at 50°C	: Not available
Density	: ≈ 1,3 kg/l
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Consult supplier(s) of these materials for specific recommendations.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Harmful if swallowed.
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Chelal Kubig	
ATE CLP (oral)	735,294 mg/kg bodyweight
Reaction products of 2,2'-iminodi(ethylamine) and copper sulphate (1:1).	
LD50 oral rat	300 mg/kg bodyweight (OECD 423) result obtained on a similar substance: reaction mass of copper sulfate and (2-aminoethyl){2-[(2-aminoethyl)amino]ethyl}amine (amines, polyethylenepoly-, triethylenetetramine fraction, TETA)

Chelal Kubig

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Reaction products of amines, polyethylenepoly-, tetraethylenepentamine fraction and copper sulphate (1:1)

LD50 oral rat	300 mg/kg bodyweight (OECD 423) result obtained on a similar substance: reaction mass of copper sulfate and (2-aminoethyl)({2-[(2-aminoethyl)amino]ethyl}amine (amines, polyethylenepoly-, triethylenetetramine fraction, TETA)
---------------	---

Reaction products of amines, polyethylenepoly-, triethylenetetramine fraction and copper sulphate (1:1)

LD50 oral rat	300 mg/kg bodyweight (OECD 423)
---------------	---------------------------------

Skin corrosion/irritation	: Causes skin irritation. pH: 9 – 9,5 (1% solution)
Serious eye damage/irritation	: Causes serious eye damage. pH: 9 – 9,5 (1% solution)
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

Reaction products of 2,2'-iminodi(ethylamine) and copper sulphate (1:1).

Viscosity, kinematic	Not applicable
----------------------	----------------

Reaction products of amines, polyethylenepoly-, tetraethylenepentamine fraction and copper sulphate (1:1)

Viscosity, kinematic	Not applicable
----------------------	----------------

Reaction products of amines, polyethylenepoly-, triethylenetetramine fraction and copper sulphate (1:1)

Viscosity, kinematic	Not applicable
----------------------	----------------

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: Toxic to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Toxic to aquatic life with long lasting effects.

Reaction products of 2,2'-iminodi(ethylamine) and copper sulphate (1:1).

EC50 - Crustacea [1]	4,25 mg/l (24h) OECD 202
EC50 - Crustacea [2]	3,12 mg/l (48h) OECD 202
ErC50 algae	5,01 mg/l (0-72h) OECD 201

Chelal Kubig

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Reaction products of amines, polyethylenepoly-, tetraethylenepentamine fraction and copper sulphate (1:1)

EC50 - Crustacea [1]	4,25 mg/l (24h) OECD 202, result obtained on a similar substance: reaction mass of copper sulfate and 2,2'-iminodi(ethylamine)(diethylenetriamine, DETA)
EC50 - Crustacea [2]	3,12 mg/l (48h) OECD 202, result obtained on a similar substance: reaction mass of copper sulfate and 2,2'-iminodi(ethylamine)(diethylenetriamine, DETA)
ErC50 algae	5,01 mg/l (0-72h) OECD 201, result obtained on a similar substance: reaction mass of copper sulfate and 2,2'-iminodi(ethylamine)(diethylenetriamine, DETA)

Reaction products of amines, polyethylenepoly-, triethylenetetramine fraction and copper sulphate (1:1)

EC50 - Crustacea [1]	4,25 mg/l (24h) OECD 202, result obtained on a similar substance: reaction mass of copper sulfate and 2,2'-iminodi(ethylamine)(diethylenetriamine, DETA)
EC50 - Crustacea [2]	3,12 mg/l (48h) OECD 202, result obtained on a similar substance: reaction mass of copper sulfate and 2,2'-iminodi(ethylamine)(diethylenetriamine, DETA)
ErC50 algae	5,01 mg/l (0-72h) OECD 201, result obtained on a similar substance: reaction mass of copper sulfate and 2,2'-iminodi(ethylamine)(diethylenetriamine, DETA)

12.2. Persistence and degradability

Reaction products of 2,2'-iminodi(ethylamine) and copper sulphate (1:1).

Persistence and degradability	Inherently biodegradable.
-------------------------------	---------------------------

Reaction products of amines, polyethylenepoly-, tetraethylenepentamine fraction and copper sulphate (1:1)

Persistence and degradability	Inherently biodegradable.
-------------------------------	---------------------------

Reaction products of amines, polyethylenepoly-, triethylenetetramine fraction and copper sulphate (1:1)

Persistence and degradability	Inherently biodegradable.
-------------------------------	---------------------------

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste)	: Law No. 12.305 on the National Policy on Solid Waste Management, 02 August 2010.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.

Chelal Kubig

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Sewage disposal recommendations : Disposal must be done according to official regulations.
Product/Packaging disposal recommendations : Disposal must be done according to official regulations.
Additional information : Do not re-use empty containers.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number or ID number

UN-No. (ADR) : UN 3082
UN-No. (IMDG) : Not regulated
UN-No. (IATA) : Not regulated
UN-No. (ADN) : Not regulated
UN-No. (RID) : Not regulated

14.2. UN proper shipping name

Proper Shipping Name (ADR) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper Shipping Name (IMDG) : Not regulated
Proper Shipping Name (IATA) : Not regulated
Proper Shipping Name (ADN) : Not regulated
Proper Shipping Name (RID) : Not regulated
Transport document description (ADR) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III, (-)

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 9
Danger labels (ADR) : 9



IMDG

Transport hazard class(es) (IMDG) : Not regulated

IATA

Transport hazard class(es) (IATA) : Not regulated

ADN

Transport hazard class(es) (ADN) : Not regulated

RID

Transport hazard class(es) (RID) : Not regulated

14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : Not regulated
Packing group (IATA) : Not regulated
Packing group (ADN) : Not regulated
Packing group (RID) : Not regulated

14.5. Environmental hazards

Dangerous for the environment : Yes
Marine pollutant : Yes
Other information : No supplementary information available

14.6. Special precautions for user


Overland transport

Classification code (ADR) : M6

Chelal Kubig

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Special provisions (ADR)	: 274, 335, 375, 601
Limited quantities (ADR)	: 5I
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Special packing provisions (ADR)	: PP1
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T4
Portable tank and bulk container special provisions (ADR)	: TP1, TP29
Tank code (ADR)	: LGBV
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV13
Hazard identification number (Kemler No.)	: 90
Orange plates	: 
Tunnel restriction code (ADR)	: -
EAC code	: •3Z

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Chelal Kubig

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Germany

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).
Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed
SZW-lijst van mutagene stoffen : None of the components are listed
SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed
SZW-lijst van reprotoxische stoffen –
Vruchtbaarheid : None of the components are listed
SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

Denmark

MAL code : 00-1 (Executive Order No. 301 (1993))
Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H411	Toxic to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.