



PHENOLOGIC AL STAGES	Just before flowering	Flowering	Fall of the petals	Fall of the last petals	Small Fruits – Fruit development	7 days before harvest	After the harvest – Replenishment of the plant reserves
General Program	Chelal® B 1 L Chelal® Zn 1 L (1)		Chelal® B 1 L Fructol® NF 1 kg Chelal® Alga L 2 L	Chelal® Alga L 2 L Fructol® NF 1,5 kg	Landamine® Zn 4 L (o Kappa G 4 kg) (interval between treatments: 7-10 days) (2)		2 x Hyberol 3 L
Iron Chlorosis				Chelal® RD NF 1 kg Chelal® Fe 1 L	Chelal® RD NF 1 kg Chelal® Fe 1 L	Chelal® Fe 2 L	Chelal® Fe 2 L

Doses are expressed per ha. Respect the maximum concentrations indicated on the product labels.

(1): alternatively and in case of a strong deficiency, Chelal® Zn can also be applied through the drip irrigation (in this case the doses has to be 2-3 L Chelal® Zn/ha: from “the beginning of sap movement” until “small fruits”)

(2): to improve the size of the fruits the program can be complemented with Chelal® Noor (1,5 kg/ha):

- Leave between 10-14 days between 2 treatments. It is important to verify the nutritional balance of the plant with leaf analysis. If there is an imbalance or deficiency of any of the elements please adapt our foliar program by correcting the imbalance and the deficiencies in order to obtain the desired results.

- Recommended water quantity: minimum 1000 L/ha